

Plant Critical Years

By Fiscal Year

Plant	Total	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
ANO1	18.77	0.73	0.80	0.34	0.93	0.58	0.86	0.70	0.83	0.54	0.90	0.68	0.82	0.93	0.92	0.87	0.94	0.86	0.92	0.87	0.93	1.00	0.89	
ANO2	18.75	0.70	0.71	0.62	0.73	0.68	0.87	0.67	0.88	0.79	0.85	0.77	0.91	0.88	0.92	0.86	0.84	0.92	0.87	0.85	0.80	0.94	0.98	
AWV1	14.78	0.00	0.00	0.00	0.00	0.00	0.42	0.84	0.81	0.82	0.93	0.85	0.88	0.94	0.95	0.83	0.88	0.94	0.93	0.96	0.95	0.88	0.97	
AWV2	13.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	0.92	0.85	0.84	0.93	0.88	0.91	0.94	0.96	0.85	1.00	0.91	0.93	1.00	0.81	
BEP1	16.48	0.53	0.71	0.23	0.80	0.37	0.83	0.64	0.89	0.50	0.92	0.46	0.52	0.00	0.66	0.86	0.95	0.92	0.89	0.98	0.93	1.00	0.91	
BEP2	16.80	0.70	0.49	0.67	0.27	0.75	0.38	0.89	0.62	0.90	0.42	0.81	0.29	0.43	0.75	1.00	0.85	0.95	0.93	0.88	0.99	0.92	0.98	
BRF1	21.41	0.53	0.93	0.51	0.66	0.78	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
BRF2	14.32	0.88	0.80	0.51	0.92	0.00	0.00	0.00	0.00	0.00	0.24	0.96	0.67	0.99	0.84	0.91	0.97	0.95	0.92	1.00	0.90	0.96	0.91	
BRF3	9.89	0.80	0.41	0.87	0.00	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.83	0.95	0.94	0.96	0.95	1.00	0.96	0.97	
BRP1	12.82	0.74	0.71	0.70	0.79	0.87	0.82	0.73	0.70	0.78	0.91	0.78	0.50	0.76	0.91	0.81	0.73	0.57	0.00	0.00	0.00	0.00	0.00	
BRS1	13.90	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.98	0.82	0.76	0.56	0.91	0.87	0.76	0.92	0.76	0.70	0.93	0.86	0.95	0.98	0.97	
BRS2	13.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.79	0.79	0.92	0.82	0.84	0.82	0.87	0.84	0.99	0.85	0.92	0.99	0.96	1.00	
BVS1	17.43	0.72	0.41	0.68	0.95	0.71	0.70	0.89	0.77	0.88	0.71	0.66	0.90	0.72	0.71	0.81	0.80	0.83	0.16	0.89	0.85	0.89	0.97	
BVS2	13.39	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.91	0.72	0.91	0.86	0.84	0.96	0.79	0.87	0.92	0.71	0.22	0.84	0.95	0.91	0.94	
BYS1	16.02	0.00	0.00	0.00	0.00	0.62	0.74	0.68	0.85	0.89	0.82	0.93	0.89	0.82	0.94	0.88	0.59	0.94	0.65	0.91	0.98	0.97	0.95	
BYS2	15.11	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.89	0.82	0.88	0.86	0.79	0.92	0.93	0.88	0.84	0.98	0.87	1.00	0.93	0.95	0.95	
CAY1	16.96	0.00	0.00	0.00	0.00	0.89	0.79	0.83	0.82	0.83	0.97	0.88	0.83	1.00	0.87	0.87	0.98	0.91	0.92	0.98	0.91	0.88	0.95	
CCN1	17.39	0.89	0.72	0.97	0.71	0.56	0.95	0.55	0.74	0.41	0.02	0.73	0.56	0.98	0.68	0.99	0.66	0.97	0.82	0.95	0.88	1.00	0.65	
CCN2	17.80	0.81	0.96	0.70	0.71	0.92	0.81	0.68	0.88	0.45	0.00	0.37	0.82	0.69	0.94	0.80	0.99	0.81	0.96	0.85	0.99	0.84	0.99	
CNS1	15.58	0.00	0.00	0.00	0.00	0.69	0.64	0.78	0.66	0.76	0.70	0.72	0.77	0.92	0.83	0.89	0.69	0.99	0.82	0.92	1.00	0.90	0.95	
CNS2	14.57	0.00	0.00	0.00	0.00	0.00	0.30	0.71	0.71	0.71	0.70	0.94	0.82	0.79	0.81	0.96	0.80	0.86	0.93	0.84	0.91	0.96	0.90	
CPP1	10.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.85	0.45	0.72	0.61	0.68	0.98	0.78	0.84	0.90	0.00	0.00	0.39	0.96	0.91	0.90	
CPR1	17.24	0.82	0.75	0.64	0.92	0.10	0.85	0.71	0.67	0.77	0.81	0.95	0.77	0.61	0.59	0.62	0.78	0.84	0.96	0.77	0.76	0.96	0.83	
CPS1	11.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.77	0.81	0.82	0.80	0.86	0.94	0.89	0.89	0.98	0.93	0.90	0.99	0.83	
CPS2	9.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.78	0.84	0.79	0.99	0.88	0.91	1.00	0.91	0.91	0.92	
CRP3	16.72	0.83	0.68	0.53	0.92	0.50	0.50	0.73	0.71	0.42	0.64	0.93	0.61	0.84	0.85	1.00	0.63	0.00	0.65	1.00	0.86	0.96	0.93	
DAC1	18.65	0.78	0.71	0.66	0.77	0.45	0.89	0.61	0.93	0.61	0.67	0.92	0.83	0.80	0.95	0.82	1.00	0.85	0.88	0.93	0.88	0.88	0.93	
DBS1	17.48	0.74	0.47	0.78	0.85	0.31	0.00	0.61	0.43	0.75	0.57	0.91	0.89	0.84	1.00	0.88	0.85	0.94	0.84	0.94	0.88	1.00	1.00	
DCC1	15.35	0.78	0.60	0.78	0.78	0.46	0.68	0.69	0.95	0.68	0.99	0.69	0.73	0.93	0.72	0.79	0.89	0.79	0.00	0.00	0.69	0.90	0.85	
DCC2	14.86	0.79	0.82	0.77	0.55	0.70	0.52	0.74	0.54	0.49	0.68	0.81	0.51	0.81	0.79	0.75	0.88	0.91	0.00	0.00	0.28	0.91	0.83	
DCP1	16.51	0.00	0.00	0.00	0.00	0.88	0.85	0.73	0.63	1.00	0.79	0.81	0.94	0.89	0.81	0.99	0.81	0.87	1.00	0.88	0.96	0.90	0.92	
DCP2	16.07	0.00	0.00	0.00	0.10	0.97	0.68	0.87	0.77	0.81	0.92	0.93	0.85	0.95	0.90	0.85	0.98	0.89	0.97	0.90	0.93	1.00	0.83	
DRS2	17.19	0.63	0.93	0.60	0.96	0.39	0.77	0.53	0.96	0.67	0.89	0.55	0.70	0.62	0.75	0.44	0.21	0.90	0.85	1.00	0.93	0.97	1.00	
DRS3	16.85	0.97	0.64	0.97	0.17	0.90	0.14	0.73	0.75	0.88	0.77	0.86	0.43	0.78	0.44	0.60	0.64	0.53	0.93	0.92	0.95	0.98	0.94	
EPF2	14.53	0.00	0.00	0.00	0.21	1.00	1.00	0.65	0.82	0.75	0.68	0.82	0.93	0.83	0.24	0.64	0.93	0.46	0.84	0.91	0.88	1.00	0.91	
EIH1	18.61	0.68	0.58	0.59	0.78	0.61	0.51	0.78	0.87	0.80	0.67	0.91	0.84	0.84	0.95	0.91	0.89	0.99	0.90	0.85	0.97	0.90	0.91	
EIH2	18.73	0.65	0.64	0.66	0.35	0.82	0.89	0.76	0.71	0.91	0.77	0.77	0.95	0.77	0.85	0.95	0.86	0.89	0.92	0.85	0.91	0.96	0.89	
FCS1	18.98	0.94	0.77	0.64	0.64	0.95	0.69	0.75	1.00	0.61	0.69	0.86	0.65	0.96	0.85	0.84	0.93	0.79	0.83	1.00	0.89	0.82	0.92	
FSV1	5.19	0.67	0.45	0.31	0.27	0.00	0.57	1.00	1.00	0.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
GG51	16.56	0.00	0.00	0.00	0.08	0.93	0.68	0.71	0.80	0.78	0.97	0.76	0.83	0.98	0.82	0.81	0.99	0.89	0.89	0.94	0.87	0.93	0.94	
HBR2	17.55	0.79	0.43	0.85	0.23	0.63	0.81	0.71	0.80	0.55	0.66	0.56	0.67	0.95	0.56	0.85	0.94	0.85	0.88	0.98	0.94	0.91	1.00	
HCS1	14.83	0.00	0.00	0.00	0.00	0.18	0.93	0.75	0.88	0.82	0.80	0.92	0.89	0.82	0.92	0.65	0.93	0.84	0.85	0.88	0.98	0.92	0.88	
HNP1	11.79	0.98	0.81	0.78	0.84	0.88	0.56	0.76	0.44	0.92	0.12	0.92	0.60	0.82	0.77	0.78	0.81	0.00	0.00	0.00	0.00	0.00	0.00	
IPS2	16.22	0.38	0.84	0.66	0.55	0.88	0.58	0.93	0.59	0.70	0.59	0.54	0.97	0.76	1.00	0.68	0.95	0.65	0.10	0.92	0.34	0.75	0.97	
IPS3	14.53	0.76	0.33	0.03	0.65	0.55	0.73	0.62	0.93	0.51	0.84	0.69	0.61	0.37	0.00	0.21	0.49	0.58	0.95	0.90	0.95	0.92	1.00	
JAF1	17.70	0.92	0.63	0.66	0.89	0.53	0.92	0.66	0.85	0.77	0.66	0.62	0.16	0.64	0.85	0.66	0.96	0.85	0.93	0.82	0.94	0.89	0.99	
JMF1	19.35	0.53	0.55	0.79	0.78	0.85	0.99	0.80	0.82	0.97	0.87	0.80	0.98	0.81	0.87	0.94	0.91	0.78	0.95	0.80	0.78	1.00	0.89	
JMF2	19.62	0.50	0.91	0.85	0.88	0.78	0.85	0.96	0.78	0.81	0.95	0.75	0.82	0.95	0.81	0.83	1.00	0.82	0.86	0.99	0.84	0.80	0.95	
KNP1	19.70	0.87	0.88	0.84	0.86	0.83	0.85	0.89	0.88	0.85	0.87	0.83	0.88	0.87	0.89	0.88	0.97	0.31	0.98	0.89	0.89	0.98	0.90	
LBR1	6.58	1.00	1.00	1.00	1.00	1.00	1.00	0.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
LGS1	15.99	0.00	0.00	0.00	0.00	0.15	0.84	0.68	0.97	0.64	0.87	0.77	0.88	0.99	0.90	0.93	0.90	0.99	0.86	0.96	0.93	1.00	0.95	
LGS2	13.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.77	0.80	1.00	0.84	1.00	0.93	1.00	0.89	0.96	0.90	0.99	0.95	0.95	
LSC1	15.23	0.00	0.13	1.00	0.86	0.89	0.07	0.63	0.65	0.95	0.70	0.78	0.99	0.61	0.62	0.93	0.68	0.00	0.15	0.98	0.92	0.99	0.92	
LSC2	13.56	0.00	0.00	0.00	0.52	0.57	0.58	0.54	0.97	0.58	0.69	0.96	0.69	0.91	0.73	0.69	0.91	0.00	0.00	0.47	0.99	0.93	0.96	
MGS1	17.48	0.23	0.79	0.58	0.76	0.69	0.62	0.81	0.86	0.60	0.63	0.82												